

Diamond Standart




RECOMMENDED USAGE
Education
Healthcare
Retail
Hospitality
Offices

Performance, Features & Benefits

2/4 meter widths, cost effective, Broad color range,
Great patterns, High residual indentation, Dimensionally
stable, Anti-bacterial, Antistatic, 10 year warranty

Technical parameters	Standards	
DESCRIPTION		
Construction		compact heterogeneous
Total thickness	EN 428	2,0 mm
Wear layer thickness	EN 429	0,7 mm
Width of roll	EN 426	2/4 m
Length of roll	EN 426	20 lm
Total weight	EN 430	2,2 kg/m²
CLASSIFICATION		
European classification	EN 685	class: 34/43
PERFORMANCE		
Abrasion group	EN 660-1	T
Residual indention	EN 433	max. 0,1 mm
Dimensional stability	EN 434	max. 0,2 %
Fire resistance	EN 13501-1	class: Bfl-s1
	DIN 4102/ÖNORM	class: B1
	Gost 30402-94	class: G1
Slip resistance	DIN 51130	R9
	EN 13893	DS
Electrical resistance	EN 1815	< 2 kV
	EN 1081	≤ 10⁹ Ω
Chemical resistance	EN 423	✓
Bacterial resistance	EN ISO846:1999	✓
Light fastness	EN 20105 B02	6
Castor chair resistance	EN 425	✓
Anti-bacterial and fungicid treatment		graboSAN
Seaming methot		hot or cold welding
Warranty		10 year



Diamond Standart Evolution



4253-451



4253-452




4253-453



4253-468



4253-454



4253-460



4353-471



4253-470




4253-455



4253-456



4253-457



4253-458



4253-469

Diamond Standart Evolution Natural



4159-469-1



4159-468-1



4159-471-1



4181-468-1




4179-452-1



4159-473-1




4159-472-1



Diamond Standart Metal




4564-469




4564-470




4564-479



4564-481



4564-476



4564-473




4564-494




4564-495



4564-493




4564-460




4564-475



4564-496



4564-477



4564-471



4564-472




4564-474


Diamond Standart Forte



4213-469-4



4213-453-4




4213-455-4




4213-470-4



4213-456-4




4213-464-4



4213-465-4



4213-479-4




4213-475-4



4213-463-4

Diamond Standart Plaza



4115-451-06



4115-452-06




4115-454-06




4115-453-06




4115-467-06




4115-456-06



4115-458-06




4115-457-06




4115-468-06



4115-460-06



4115-459-06



4115-469-06

